



◇ **PRODIGY**
ELEVATE

WARNING

Activities involving this equipment are inherently dangerous. You are responsible for your own actions and assume all risks, including injury or death, resulting from use.

Training: It is your responsibility to learn and practice proper techniques. This equipment must only be used by competent persons or those under the supervision of a trained professional.

Health: Do not use this equipment if you have medical conditions that could affect your safety.

Limitations: This document cannot cover every eventuality. There is no substitute for professional instruction.

Preparedness: A risk assessment must be performed before use, and a rescue plan must be in place for emergencies.

Liability: Prodigy Aerial accepts no responsibility for damage, injury, or death resulting from misuse.



◇ **PRODIGY**

Prodigy Aerial
Unit 1 Harbour Way Trading Est
Shoreham by Sea, BN43 5HZ


prodigy.aerial.com
hello@prodigy.aerial.com

 **firetoys**

Firetoys Ltd
Unit 1 Harbour Way Trading Est
Shoreham by Sea, BN43 5HZ

firetoys.co.uk
hello@firetoys.com

◇ **PRODIGY**
ELEVATE



USER GUIDE:

Prodigy Elevate Silk Connector

2006/42/EC
MBS: 40kN

PRODIGY **ELEVATE**

Technical Use & Compatibility

The Prodigy Elevate Silk Connector is designed to safely secure your Firetoys or Prodigy aerial silk, hammock, or sling. It allows you to connect your equipment to an anchor point either directly or by using a suitably rated locking carabiner (such as those in the Prodigy range).

•Anchorage:

Fall arrest anchor points should be positioned above the user and must conform to EN795 (or equivalent international standards).

•Attachment:

Always attach your fabric to the Prodigy Elevate before connecting the unit to your anchor point.

•Method:

Only connect the fabric exactly as shown in this document. Incorrect attachment is dangerous and may lead to equipment failure or serious injury.

•Connection:

Once the fabric is secured, you can connect the Prodigy Elevate to your anchor point with a carabiner conforming to EN362 (e.g., Prodigy SG-1, DA-1, or TA-1).

Important: Please follow these instructions carefully; improper installation may cause the fabric to slip or tear.

Key Guidelines for Safe Use

•Compatibility:


Please ensure all components in your safety system are compatible and work correctly together. If you have any questions, feel free to contact us or the relevant manufacturer for advice.

•Installation:

All installations should be verified by a suitably qualified professional.

Attaching Aerial Silk With Prodigy **ELEVATE**:

1.



2.



3.




4.



5.



6.



for more
detailed
instructions
on how to
tie silks,
please,
scan here



